



Luma Bar Stand Alone: Designed for almost any conceivable interior application. Equally suited for new builds or retro-fits.

Key Features:

The Luma Bar Stand Alone model was designed to deliver the ultimate compartment lighting solution. Ideally suited for new builds or for retro-fits this compact yet powerful LED lighting system may be installed in a matter of minutes. Equipped with a patented variable aiming system which allows the board to be aimed at multiple angles to deliver light right where you need it. Incorporates a patented auto resettable fuse which protects the assembly from short circuits and electrical surges

Technical Details:

- 12VDC
- Clear white surface mount LEDs
- Amp draw of 100 mA per foot
- 120 degree beam pattern
- Housing is manufactured from high impact polycarbonate
- Includes full length aluminum mounting base
- Standard lengths include: 11", 21", 31", 42", 51", 62", 72", 83", and 92"
- Custom lengths available
- Available in red
- Available in 24VDC.

STD ANGLE (RIGHT, LEFT OR CENTER) Luma Bar™ (WHITE)

STD Angle 10 ½" WHITE

- Right (Part # AY-9200-11-R-0)
- Left (AY-9200-11-L-0)
- Center (AY-9200-11-C-0)

STD Angle 21 ½" WHITE

- Right (Part # AY-9200-21-R-0)
- Left (AY-9200-21-L-0)
- Center (AY-9200-21-C-0)

STD Angle 30 ¾" WHITE

- Right (Part # AY-9200-31-R-0)
- Left (AY-9200-31-L-0)
- Center (AY-9200-31-C-0)

STD Angle 42" WHITE

- Right (Part # AY-9200-42-R-0)
- Left (AY-9200-42-L-0)
- Center (AY-9200-42-C-0)

STD Angle 51" WHITE

- Right (Part # AY-9200-51-R-0)
- Left (AY-9200-51-L-0)
- Center (AY-9200-51-C-0)

STD Angle 62 ½" WHITE

- Right (Part # AY-9200-62-R-0)
- Left (AY-9200-62-L-0)
- Center (AY-9200-62-C-0)

STD Angle 71 ½" WHITE

- Right (Part # AY-9200-72-R-0)
- Left (AY-9200-72-L-0)
- Center (AY-9200-72-C-0)

STD Angle 82 ¾" WHITE

- Right (Part # AY-9200-83-R-0)
- Left (AY-9200-83-L-0)
- Center (AY-9200-83-C-0)

STAND ALONE Luma Bar™ WITH ALUMINUM EXTRUSION (RED)

- 10 ½" w/ Aluminum Extrusion RED (Part # AY-9202-011)
- 21 ½" w/ Aluminum Extrusion RED (AY-9202-021)
- 30 ¾" w/ Aluminum Extrusion RED (AY-9202-031)
- 42" w/ Aluminum Extrusion RED (AY-9202-042)
- 51" w/ Aluminum Extrusion RED (AY-9202-051)
- 62 ½" w/ Aluminum Extrusion RED (AY-9202-062)
- 71 ½" w/ Aluminum Extrusion RED (AY-9202-072)
- 82 ¾" w/ Aluminum Extrusion RED (AY-9202-083)

The Luma-Bar H20: Ground lighting. Water proof with ultra-low profile full length mounting bracket.

Key Features:

The Luma Bar H20 is a fully waterproof strip light that was originally designed for ground lighting on fire trucks. The lighting assembly is fully encapsulated in rigid epoxy delivering a completely IP68 waterproof lighting solution. The wiring harness also includes marine grade connectors. Incorporates a patented auto resettable fuse which protects the assembly from short circuits and electrical surges

- 12VDC
- IP 68 waterproof rating
- Clear white surface mount LEDs
- 120 degree beam pattern
- Amp draw of 100 mA per foot
- Available with a full length extrusion providing 45 degree mounting
- Standard lengths include: 12", 20" and 40"
- Available in clear white and utility white
- Additional colours available on special order.
- Available in 24VDC.

Luma Bar H20™ (water resistant) – NO UNDERMOUNT

PART NUMBER DESCRIPTION

1. XX-9927 Luma Bar H20™ 12" (CLEAR WHITE) – 1 Connector
2. XX-9928 Luma Bar H20™ 12" (CLEAR WHITE) – 1 Connector
3. XX-9929 Luma Bar H20™ 12" (CLEAR WHITE) – 1 Connector
4. XX-9924 Luma Bar H20™ 12" (RED) – 1 Connector
5. XX-9925 Luma Bar H20™ 20" (RED) – 1 Connector
6. XX-9926 Luma Bar H20™ 40" (RED) – 1 Connector
7. XX-9942 Luma Bar H20™ 12" (CLEAR WHITE) – 2 Connector
8. XX-9943 Luma Bar H20™ 20" (CLEAR WHITE) – 2 Connector
9. XX-9944 Luma Bar H20™ 40" (CLEAR WHITE) – 2 Connector
10. XX-2901 Luma Bar H20™ 12" (UTILITY WHITE)
11. XX-2901 Luma Bar H20™ 12" (UTILITY WHITE)
12. XX-2901 Luma Bar H20™ 12" (UTILITY WHITE)

Luma Bar H20™ Including Full length Extruded Bracket for Under Truck Applications

PART NUMBER DESCRIPTION

- AY-9500-012 Luma Bar H20™ 12" (CLEAR WHITE) w/ full length extruded bracket
- AY-9500-020 Luma Bar H20™ 20" (CLEAR WHITE) w/ full length extruded bracket
- AY-9500-040 Luma Bar H20™ 40" (CLEAR WHITE) w/ full length extruded bracket
- AY-9502-012 Luma Bar H20™ 12" (RED) w/ full length extruded bracket
- AY-9502-020 Luma Bar H20™ 20" (RED) w/ full length extruded bracket
- AY-9502-040 Luma Bar H20™ 40" (RED) w/ full length extruded bracket
- AY-9550-020 Luma Bar H20™ 20" (CLEAR WHITE) w/ full length extruded bracket *SPECIAL - DOUBLE LEADS FOR DAISY CHAINING*
- AY-9550-040 Luma Bar H20™ 40" (CLEAR WHITE) w/ full length extruded bracket *SPECIAL - DOUBLE LEADS FOR DAISY CHAINING*